


FABRICS & MATS



Weaving Process

Mat Production Process



| | | | | | |
|------|----|---|--|--|--|
| | | | | | |
| 320 | GL | 600, 735, 900, 1103, 1200, 2200, 2400 | | | |
| 380 | GL | 300, 600, 1200, 2400 | | | |
| 386T | GL | 1200, 2400 | | | |
| | | | | | |
| 390 | GL | | | | |
| 396 | GL | 300, 600 | | | |
| 398 | GL | 300, 600, 1200, 2400 | | | |

| | | | | |
|------|---|--|--|--|
| | | | | |
| 306A | 800, 900, 1000, 1200, 1500, 1700, 2400 | | | |



| | | | | |
|-----|------|--|--|--|
| | | | | |
| 302 | 2400 | | | |

| | | | | |
|-----|----|---------------------------------|--|--|
| | | | | |
| 312 | GL | 100, 136, 200, 275, 300, 400 | | |

End-Use Markets



Mat Production Process



Assembled Rovings for Chopped Strand Mats

| 512 | 2400 | | | |
|-----|------|--|--|--|
| 520 | 2400 | | | |

End-Use Markets



| | |
|---|--|
| Fiberglass Products for Open Molding | Spray-up Process |
| | Hand Lay-up Process |
| Fiberglass Products for Pipes | Filament Winding Process |
| | Centrifugal Casting Process |
| Fiberglass Products for Compression Molding | SMC Process |
| | BMC Process |
| | LFI Process |
| Fiberglass Products for Continuous Profiles | Pultrusion Process |
| | Continuous Panel Molding Process |
| Fiberglass Products for Thermoplastics | Extrusion and Injection Processes |
| | LFT Process |
| | GMT Process |
| | CFRT Process |
| Fiberglass Products for Other Processes | Texturizing Process |
| | Reinforcements for Gypsum |
| | Automotive Headliner Molding Process |
| Fiberglass Products for Fabrics and Mats | Weaving Process |
| | Mat Production Process |
| Fiberglass Mats and Woven Rovings | Mat Production Process |
| | Weaving Process |
| High Performance Hybrid Fibers | Mold Pressing |
| | Laminate Molding |
| | Filament Winding |
| | Pultrusion |
| | Vacuum-Assisted Molding |
| Continuous Electronic Glass Fiber Fabric and Yarn | Continuous Electronic Glass Fiber Fabric |
| | Continuous Glass Fiber Yarn |

